

# birefringence

---

**birefringence:** In a transparent material, anisotropism of the refractive index, which varies as a function of polarization as well as orientation with respect to the incident ray. *Note 1:* The term "*birefringence*" means, literally, "*double refraction*." *Note 2:* All crystals except those of cubic lattice structure exhibit some degree of anisotropy with regard to their physical properties, including refractive index. Other materials, such as glasses or plastics, become birefringent when subjected to mechanical strain. *Note 3:* Birefringent materials, including crystals, have the ability to refract an unpolarized incident ray into two separate, orthogonally polarized rays, which in the general case take different paths, depending on orientation of the material with respect to the incident ray. The refracted rays are referred to as the "ordinary," or "O" ray, which obeys Snell's Law, and the "extraordinary," or "E" ray, which does not. [After FAA] **Synonym double refraction.**

---

This HTML version of Telecom Glossary 2K was last generated on Wed Feb 28 15:39:21 MST 2001. References can be found in the Foreword.

---

# isotropic

---

**isotropic:** **1.** Pertaining to a material with properties, such as density, electrical conductivity, electric permittivity, magnetic permeability, or refractive index that do not vary with distance or direction. **2.** Pertaining to a material with magnetic, electrical, or electromagnetic properties that do not vary with the direction of static or propagating magnetic, electrical, or electromagnetic fields within the material.  
(188)

---

This HTML version of FS-1037C was last generated on Fri Aug 23 00:22:38 MDT 1996

---

# anisotropic

---

**anisotropic:** Pertaining to a material whose electrical or optical properties vary with (a) the direction of propagation of a traveling wave or with (b) different polarizations of a traveling wave. *Note 1:* Anisotropy is exhibited by non-cubic crystals, which have different refractive indices for lightwaves propagating in different directions or with different polarizations. *Note 2:* Anisotropy may be induced in certain materials under mechanical strain.

---

This [HTML](#) version of [FS-1037C](#) was last generated on Fri Aug 23 00:22:38 MDT 1996

---